## **Author Index**

Adams, F.C., see Gerbersmann, C. 93

Adams, H.M., see Shultz, T.J. 337

Aragoni, M.C.

-, Arca, M., Crisponi, G. and Nurchi, V.M.

Simultaneous decomposition of several spectra into the constituent Gaussian peaks 195

Arca, M., see Aragoni, M.C. 195

Asano, Y., see Hemmi, A. 323

Baeza-Baeza, J.J.

- and Ramis-Ramos, G.

Reduction of the relative standard deviation in the least-squares fitting of linearized equations by using sensitivity weights 173

Bell, S.E., see Snyder, A.P. 1

Bizzarri, M., see Laganà, A. 377

Bos, M., see Hartnett, M.K. 347

Bosque Sendra, J.M., see Nechar, M. 185

Botrè, C., see Mazzei, F. 79

Botrè, F., see Mazzei, F. 79

Callao, M.P., see Rius, A. 27

Cardwell, T.J., see McKelvie, I.D. 277

Carmody, J.L., see Ditzler, M.A. 391

Cattrall, R.W., see McKelvie, I.D. 277

Cooks, R.G., see Srinivasan, N. 269

Crisponi, G., see Aragoni, M.C. 195

Cserháti, T.

- and Forgács, E.

Thin layer chromatography and principal component analysis for the study of the interaction of amino acids with some antisense nucleosides 105

Cuadros Rodriguez, L., see Nechar, M. 185

Cumming, R.H., see Rowell, F.J. 247

Deng, J., see Liu, Y. 65

Derrick, M., see Schulz, H. 145

De Vicente-Pérez, S., see García-Armada, M.P. 47

Diamond, D., see Hartnett, M.K. 347

Ditzler, M.A.

-, Hallen, C.P. and Carmody, J.L.

The impact of tether hydrophobicity on stoichiometry of immobilized indicator-analyte complexes 391

Djane, N.-K.

—, Malcus, F., Martins, E., Sawula, G. and Johansson, G. Hollow fiber cartridges for removal of particulate matter from natural waters prior to matrix isolation and trace metal enrich-

ment using an 8-quinolinol chelating ion exchanger in a flow system 305

Dufresne, C., see Tsipouras, A. 161

Eiceman, G.A., see Snyder, A.P. 1

Elyashberg, M.E., see Gribov, L.A. 217

Erni, F., see Vander Heyden, Y. 15

Fago, G., see Laganà, A. 377

Fang, Z., see Liu, X. 329

Forgács, E., see Cserháti, T. 105

Funazaki, N., see Hemmi, A. 323

Furuno, K., see Watanabe, K. 371

García-Armada, M.P.

-, Losada, J. and De Vicente-Pérez, S.

Knowledge-based system for the provision of an analytical strategy for simultaneous determination of metals by differential-pulse polarography 47

Gerbersmann, C.

-, Lobinski, R. and Adams, F.C.

Determination of volatile sulfur compounds in water samples, beer and coffee with purge and trap gas chromatography-microwave-induced plasma atomic emission spectrometry 93

Gibb, S.W.

-, Mantoura, R.F.C. and Liss, P.S.

Analysis of ammonia and methylamines in natural waters by flow injection gas diffusion coupled to ion chromatography 291

Goetz, M., see Tsipouras, A. 161

Gomita, Y., see Watanabe, K. 371

Green, L.W., see Shultz, T.J. 337

Gribov, L.A.

-, Elyashberg, M.E. and Karasev, Yu.Z.

Quantitative molecular analysis by infrared spectrometry without standard materials 217

Grung, B.

- and Kvalheim, O.M.

Interactive rank annihilation: a graphic approach to quantification in grey multicomponent systems 225

Hallen, C.P., see Ditzler, M.A. 391

Hart, B.T., see McKelvie, I.D. 277

Hartmann, C., see Vander Heyden, Y. 15

Hartnett, M.K.

-, Bos, M., Van der Linden, W.E. and Diamond, D.

Determination of stability constants using genetic algorithms 347

Hayashi, K., see Hemmi, A. 323

He, X.

- and Rechnitz, G.A.

Plant tissue-based fiber-optic pyruvate sensor 57

Hemmi, A.

—, Yagiuda, K., Funazaki, N., Ito, S., Asano, Y., Imato, T., Hayashi, K. and Karube, I.

Development of a chemiluminescence detector with photodiode detection for flow-injection analysis and its application to L-lactate analysis 323

Hobo, T., see Wu, X.-Z. 111

Hodgkinson, M., see Ni, Y. 233

Hueber, D.M.

- and Winefordner, J.D.

A flowing electrolytic hydride generator for continuous sample introduction in atomic spectrometry 129

Imato, T., see Hemmi, A. 323 Ito, S., see Hemmi, A. 323

Ito, Y., see Samukawa, T. 83

Johansson, G., see Djane, N.-K. 305

Kaláb, T., see Skládal, P. 73

Karasev, Yu.Z., see Gribov, L.A. 217

Karube, I., see Hemmi, A. 323

Kasthurikrishnan, N., see Srinivasan, N. 269

Katsu, T., see Watanabe, K. 371

Kearsley, S.K., see Tsipouras, A. 161

Kiechle, P., see Vander Heyden, Y. 15

Koide, T., see Yokoi, K. 363

Kokot, S., see Ni, Y. 233

Krishnan, M.S., see Srinivasan, N. 269

Kvalheim, O.M., see Grung, B. 225

## Laganà, A.

—, Marino, A., Fago, G., Pardo-Martinez, B. and Bizzarri, M. Sensitive assay for melatonin in human serum by liquid chromatography 377

Lee, S., see Tsipouras, A. 161

Li, H.

-, Xu, L. and Su, Q.

Structure-property relationship between half-wave potentials of organic compounds and their topology 39

Li, N., see Zeng, W. 387

Liang, X., see Zhao, Y. 403

Liss, P.S., see Gibb, S.W. 291

Liu, H., see Liu, Y. 65

Lin. X.

- and Fang, Z.

Flame atomic absorption spectrometric determination of cobalt in biological materials using a flow-injection system with on-line preconcentration by ion-pair adsorption 329

Liu. Y.

-, Liu, H., Qian, J., Deng, J. and Yu, T.

Regenerated silk fibroin membrane as immobilization matrix for peroxidase and fabrication of a sensor for hydrogen peroxide utilizing methylene blue as electron shuttle 65

Lobinski, R., see Gerbersmann, C. 93

Lorenti, G., see Mazzei, F. 79

Losada, J., see García-Armada, M.P. 47

Lunte, C.E., see Zhao, Y. 403

Malcus, F., see Djane, N.-K. 305

Mantoura, R.F.C., see Gibb, S.W. 291

Marino, A., see Laganà, A. 377

Martins, E., see Djane, N.-K. 305

Massart, D.L., see Vander Heyden, Y. 15

Maswadeh, W.M., see Snyder, A.P. 1

Mazzei, F.

—, Botrè, F., Lorenti, G., Simonetti, G., Porcelli, F., Scibona, G. and Botrè, C.

Plant tissue electrode for the determination of atrazine 79 McKelvie, I.D.

-, Hart, B.T., Cardwell, T.J. and Cattrall, R.W.

Use of immobilized 3-phytase and flow injection for the determination of phosphorus species in natural waters 277

Meng, X., see Zeng, W. 387

Michel, L., see Vander Heyden, Y. 15

Mikuška, P.

-, Večeřa, Z. and Zdráhal, Z.

Flow-injection chemiluminescence determination of ultra low concentrations of nitrite in water 261

Mizumachi, M., see Yokoi, K. 363

Mohr, G.J.

- and Wolfbeis, O.S.

Optical sensing of anions via polarity-sensitive dyes: a bulk sensor membrane for nitrate 239

Molina Molina, M.F., see Nechar, M. 185

Motohashi, R., see Samukawa, T. 83

Naser, N., see Wang, J. 253

Nechar, M.

—, Molina Molina, M.F., Cuadros Rodriguez, L. and Bosque Sendra, J.M.

The application of Doehlert designs in the optimization of experimental variables in solid phase spectrophotometry 185

Ni, Y.

-, Kokot, S., Selby, M. and Hodgkinson, M.

Simultaneous polarographic analysis of pyrazine and its methyl derivatives by iterative target transformation factor analysis 233

Nitescu, I., see Rowell, F.J. 247

Nurchi, V.M., see Aragoni, M.C. 195

Oda, H., see Watanabe, K. 371

Ohta, K., see Samukawa, T. 83

Okada, K., see Watanabe, K. 371 Ondeyka, J., see Tsipouras, A. 161

Onitsuka, M., see Samukawa, T. 83

Pardo-Martinez, B., see Laganà, A. 377

Porcelli, F., see Mazzei, F. 79

Qian, J., see Liu, Y. 65

Ramis-Ramos, G., see Baeza-Baeza, J.J. 173

Rechnitz, G.A., see He, X. 57

Rietjens, M.

Reduction of error propagation due to normalization: effect of error propagation and closure on spurious correlations 205

Rius, A.

—, Callao, M.P. and Rius, F.X.

Self-configuration of sequential injection analytical systems 27

Rius, F.X., see Rius, A. 27

Rowell, F.J.

-, Cumming, R.H. and Nitescu, I.

Environmental analysis in the workplace; development of a rapid, sensitive ELISA for monitoring airborne alcalase 247

Salituro, G., see Tsipouras, A. 161

Samukawa, T.

-, Ohta, K., Onitsuka, M., Ito, Y. and Motohashi, R.

Numerical approach to the explanation of the response time of the Severinghaus type electrode 83

Sawula, G., see Djane, N.-K. 305

Schügerl, K., see Tservistas, M. 117

Schulz, H.

-, Derrick, M. and Stulik, D.

Simple encoding of infrared spectra for pattern recognition. Part 2. Neural network approach using back-propagation and associative Hopfield memory 145

Scibona, G., see Mazzei, F. 79

Selby, M., see Ni, Y. 233

Shultz, T.J.

-, Adams, H.M. and Green, L.W.

Vacuum fusion-mass spectrometric determination of H, N and O in U<sub>3</sub>Si fuel using the standard addition technique 337

Shuttler, I.L., see Yuan, D. 313

Simonetti, G., see Mazzei, F. 79

Singh, S.B., see Tsipouras, A. 161

Skládal, P.

- and Kaláb, T.

A multichannel immunochemical sensor for determination of 2,4-dichlorophenoxyacetic acid 73

Snyder, A.P.

-, Maswadeh, W.M., Eiceman, G.A., Wang, Y.-F. and Bell, S.E.

Multivariate statistical analysis characterization of application-based ion mobility spectra 1

Srinivasan, N.

-, Kasthurikrishnan, N., Cooks, R.G., Krishnan, M.S. and Tsao, G.T.

On-line monitoring with feedback control of bioreactors using a high ethanol tolerance yeast by membrane introduction mass spectrometry 269

Stulik, D., see Schulz, H. 145

Su, Q., see Li, H. 39

Tanaka, M., see Yoshinaga, M. 121

Tong, S., see Zeng, W. 387

Tsao, G.T., see Srinivasan, N. 269

Tservistas, M.

-, Weigel, B. and Schügerl, K.

An on-line flow-injection analysis system for the determination of acetate 117

Tsipouras, A.

--, Ondeyka, J., Dufresne, C., Lee, S., Salituro, G., Tsou, N., Goetz, M., Singh, S.B. and Kearsley, S.K.

Using similarity searches over databases of estimated <sup>13</sup>C NMR spectra for structure identification of natural product compounds 161

Tsou, N., see Tsipouras, A. 161

Vander Heyden, Y.

---, Hartmann, C., Massart, D.L., Michel, L., Kiechle, P. and Erni, F.

Ruggedness tests for a high-performance liquid chromatographic assay: comparison of an evaluation at two and three levels by using two-level Plackett-Burman designs 15

Van der Linden, W.E., see Hartnett, M.K. 347

Večeřa, Z., see Mikuška, P. 261

Wang, J.

- and Naser, N.

Modified carbon-wax composite electrodes 253

Wang, Y.-F., see Snyder, A.P. 1

Watanabe, K.

—, Okada, K., Oda, H., Furuno, K., Gomita, Y. and Katsu, T. New cocaine-selective membrane electrode 371

Weigel, B., see Tservistas, M. 117

Winefordner, J.D., see Hueber, D.M. 129

Wolfbeis, O.S., see Mohr, G.J. 239

Wu, X .- Z.

- and Hobo, T.

Monitoring and analyzing of a chemical reaction process using reaction heat-induced optical beam deflection 111

Xu, L., see Li, H. 39

Yagiuda, K., see Hemmi, A. 323

Yamaguchi, A., see Yokoi, K. 363

Yokoi, K.

-, Yamaguchi, A., Mizumachi, M. and Koide, T.

Direct determination of trace concentrations of lead in fresh water samples by adsorptive cathodic stripping voltammetry of a lead-Calcein Blue complex 363

Yoshinaga, M.

- and Tanaka, M.

Enantiomeric separation of dansylamino acids by capillary zone electrophoresis with selectively methylated γ-cyclodextrin derivatives 121

Yu, T., see Liu, Y. 65

Yuan, D.

- and Shuttler, I.L.

Flow-injection column preconcentration directly coupled with electrothermal atomization atomic absorption spectrometry for the determination of aluminium. Comparison of column packing materials 313

Zdráhal, Z., see Mikuška, P. 261 Zeng, W.

-, Meng, X., Li, N. and Tong, S.

New method of simultaneous and non-destructive determination of human serum albumin and globulin 387 Zhao, Y.

-, Liang, X. and Lunte, C.E.

Comparison of recovery and delivery in vitro for calibration of microdialysis probes 403

